

C a C

0550

01 PE 1AP19
APR 19 2007
PATENT & TRADEMARK OFFICE

In re

APR 19 2007

$$\begin{array}{c}) \\ : \\) \\ : \\) \\ : \\) \\ : \\) \\ : \\) \\ : \\) \end{array}$$

Examiner: S. E. Dehkordy

Group Art Unit: 2625

$$\begin{array}{c} : \\ : \\) \\ : \\) \\ : \\) \\ : \\) \\ : \end{array}$$

Certificate
APR 30 2007
of Correction

$$):$$

April 18, 2007

Sir:

LETTER CALLING ATTENTION TO ERRORS IN PATENT

The following minor errors have been noted in the above-identified patent:

COLUMN 1:

Line 56, "device" should read -- device having --.

COLUMN 6:

Line 20, "or" should read -- of --.

COLUMN 8:

Line 12, “all” should be deleted.


COLUMN 11:

Line 27, "starts" should read -- start --.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our Costa Mesa, California office by telephone at (714) 540-8700. All correspondence should be directed to our new address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Frank L. Cire", written over a horizontal line.

Frank L. Cire
Attorney for Patentees
Registration No.: 42,419

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 130169v1